

**Supporting Literature review.** List of the 100 papers from the literature review. Papers that provide an explicit definition of the concept of "grassland (or rangeland) degradation" are marked in bold.

1. Ajorlo, M. Evaluation and mapping of rangelands degradation using Remotely Sensed Data. *Revista Sociedade & Natureza*. 2009, 1(1), 727-735.
2. **Akiyama, T.; Kawamura, K. Grassland degradation in China: methods of monitoring, management and restoration. *Grassland Science*. 2007, 53(1), 1-17.**
3. Ali, I.; Cawkwell, F.; Dwyer, E.; Barrett, B.; Green, S. Satellite remote sensing of grasslands: from observation to management. *Journal of Plant Ecology*. 2016, 9(6), 649-671.
4. Altesor, A.; Ayala, W.; Paruelo, J. M. (Eds.). Bases ecológicas y tecnológicas para el manejo de pastizales. INIA, Serie FPTA N°26. ISBN: 978-9974-38-308-1, Editorial Hemisferio Sur S.R.L., Montevideo, Uruguay. 2011, 234pp.
5. Andrade, B. O.; Koch, C.; Boldrini, I. I.; Vélez-Martin, E.; Hasenack, H.; Hermann, J. M.; Kollman, J.; Pillar, V. D.; Overbeck, G. E. Grassland degradation and restoration: a conceptual framework of stages and thresholds illustrated by southern Brazilian grasslands. *Natureza & Conservação*. 2015, 13(2), 95-104.
6. Ayala, W.; Bermúdez, R.. Estrategias de manejo en campos naturales sobre suelos de lomadas en la región Este. Seminario de actualización técnica en manejo de campo natural. INIA, Serie Técnica N° 151. 2005, 41-50. ISBN: 9974 38 208 4, Montevideo, Uruguay.
7. Baeza, S.; Lezama, F.; Piñeiro, G.; Altesor, A.; Paruelo, J. M. Spatial variability of above-ground net primary production in Uruguayan grasslands: a remote sensing approach. *Applied Vegetation Science*. 2010, 13(1), 72-85.
8. **Behmanesh, B.; Barani, H.; Sarvestani, A. A.; Shahraki, M. R.; Sharafatmandrad, M. Rangeland degradation assessment: a new strategy based on indigenous ecological knowledge of pastoralists. *Solid Earth Discussions*. 2015, 7(4), 2999–3019.**
9. **Berretta, E. J.; Risso, D.; Montossi, F.; Pigurina, G. Campos in Uruguay. *Grassland ecophysiology and grazing ecology* (Eds G Lemaire, J Hogdson, A de Moraes, C Nabinger, PC Carvalho. 2000, 377-394.**
10. Bestelmeyer, B. T. Threshold concepts and their use in rangeland management and restoration: the good, the bad, and the insidious. *Restoration Ecology*. 2006, 14(3), 325-329.
11. Bilenca, D.; Miñarro, F. Identificación de áreas valiosas de pastizal en las pampas y campos de Argentina, Uruguay y sur de Brasil. Fundación Vida Silvestre Argentina. ISBN: 950-9427-11-X, Buenos Aires, Argentina. No. 504. 2004, 73 (8), 352 pp.
12. Bird, S. B.; Herrick, J. E.; Wander, M. M.; Murray, L. Multi-scale variability in soil aggregate stability: implications for understanding and predicting semi-arid grassland degradation. *Geoderma*. 2007, 140(1), 106-118.
13. Boggiano, P.; Zanoniani, R.; Millot, J. C. Respuestas del campo natural a manejos con niveles crecientes de intervención. Seminario de Actualización Técnica en Manejo de Campo Natural. INIA, Serie Técnica N° 151. 2005, 105-113. ISBN: 9974 38 208 4, Montevideo, Uruguay.
14. Bond, W. J.; Parr, C. L. Beyond the forest edge: ecology, diversity and conservation of the grassy biomes. *Biological Conservation*. 2010, 143(10), 2395-2404.
15. Butterbach-Bahl, K.; Kögel-Knabner, I.; Han, X. Steppe ecosystems and climate and land-use changes—vulnerability, feedbacks and possibilities for adaptation. *Plant and soil*. 2011, 340(1-2), 1-6.
16. Cai, H.; Yang, X.; Xu, X. Human-induced grassland degradation/restoration in the central Tibetan Plateau: The effects of ecological protection and restoration projects. *Ecological Engineering*. 2015, 83, 112-119.
17. **Cao, J.; Yeh, E. T.; Holden, N. M.; Qin, Y.; Ren, Z. The Roles of Overgrazing, Climate Change and Policy as Drivers of Degradation of China's Grasslands. *Nomadic Peoples*. 2013, 17(2), 82-101.**
18. Carvalho, P. C. F.; Nabinger, C.; Lemaire, G.; Genro, T. C. M. Challenges and opportunities for livestock production in natural pastures: the case of Brazillian Pampa Biome. In S. R. Feldman, G. E. Oliva, M. B. Sacido (Eds.), IX International Rangeland Congress, Universidad de Rosario, Rosario, Argentina. 2011, 9-15.
19. Dalfelt, A.; Naess, L. O.; Sutamihardja, R. T. M.; Gintings, N. Feasibility study on: reforestation of degraded grasslands in Indonesia as a climate change mitigation option. Report, ISSN: 0804-4562. Center for International Climate and Environmental Research - Oslo, Norway. 1996, 128pp.
20. **De Queiroz, J. S. Range degradation in Botswana: myth or reality? Pastoral Development Network. Paper 35b. Overseas Development Institute, London. 1993, 19pp.**
21. Deng, X.; Huang, J.; Huang, Q.; Rozelle, S.; Gibson, J. Do roads lead to grassland degradation or restoration? A case study in Inner Mongolia, China. *Environment and Development Economics*. 2011, 16(6), 751-773.
22. Distel, R. Manejo del pastoreo en pastizales de zonas áridas y semiáridas. *Revista Argentina de Producción Animal*. 2013, 33(1), 53-64.
23. Dong, S. K.; Wen, L.; Li, Y. Y.; Wang, X. X.; Zhu, L.; Li, X. Y. Soil-quality effects of grassland degradation and restoration on the Qinghai-Tibetan Plateau. *Soil Science Society of America Journal*. 2012, 76(6), 2256-2264.
24. Eckert, S.; Hüsler, F.; Liniger, H.; Hodel, E. Trend analysis of MODIS NDVI time series for detecting land degradation and regeneration in Mongolia. *Journal of Arid Environments*. 2015, 113, 16-28.
25. Estelrich, H. D.; Castaldo, A. Receptividad y carga ganadera en distintas micro regiones de la Provincia de La Pampa [Argentina] y su relación con las precipitaciones. *SEMIÁRIDA Revista de la Facultad de Agronomía UNLPam*. 2014, 24(2):7-19.

26. Fantino, E.; Montani, N.; Mónaco, N.; Bocco, O.; Rosa, M. J.; Heguiabehere, A. Efectos del pastoreo con diferentes tiempos de ocupación sobre los parámetros productivos de un pastizal (sureste de Córdoba, Argentina central). *Pastos*. **2011**, *40*(1), 47-63.
27. Fassnacht, F. E.; Li, L.; Fritz, A. Mapping degraded grassland on the Eastern Tibetan Plateau with multi-temporal Landsat 8 data—where do the severely degraded areas occur? *International Journal of Applied Earth Observation and Geoinformation*. **2015**, *42*, 115-127.
28. Feng, X. M.; Zhao, Y. S. Grazing intensity monitoring in Northern China steppe: Integrating CENTURY model and MODIS data. *Ecological Indicators*. **2011**, *11*(1), 175-182.
29. Fernández, O. A.; Gil, M. E.; Distel, R. A. The challenge of rangeland degradation in a temperate semiarid region of Argentina: the Caldenal. *Land Degradation & Development*. **2009**, *20*(4), 431-440.
30. Formoso, D.; Pereira, D. Efecto del Pastoreo Mixto sobre la Vegetación del Campo Natural en Cristalino Central (Región Centro-Sur). *Revista Producción Ovina (Secretariado uruguayo de la lana, SUL)*. **2008**, *20*, 5-20.
31. Gang, C.; Zhou, W.; Chen, Y.; Wang, Z.; Sun, Z.; Li, J.; Qi, J.; Odeh, I. Quantitative assessment of the contributions of climate change and human activities on global grassland degradation. *Environmental Earth Sciences*. **2014**, *72*(11), 4273-4282.
32. Gao, Q. Z.; Wan, Y. F.; Xu, H. M.; Li, Y.; Jiangcun, W. Z.; Borjigidai, A. Alpine grassland degradation index and its response to recent climate variability in Northern Tibet, China. *Quaternary International* **2010**, *226*(1), 143-150.
33. **Geerken, R.; Ilaiwi, M. Assessment of rangeland degradation and development of a strategy for rehabilitation. *Remote Sensing of Environment*. 2004, 90(4), 490-504.**
34. **Han, J. G.; Zhang, Y. J.; Wang, C. J.; Bai, W. M.; Wang, Y. R.; Han, G. D.; Li, L. H. Rangeland degradation and restoration management in China. *The Rangeland Journal*. 2008, 30(2), 233-239.**
35. Harris, R. B. Rangeland degradation on the Qinghai-Tibetan plateau: a review of the evidence of its magnitude and causes. *Journal of Arid Environments*. **2010**, *74*(1), 1-12.
36. He, C.; Tian, J.; Gao, B.; Zhao, Y. Differentiating climate-and human-induced drivers of grassland degradation in the Liao River Basin, China. *Environmental monitoring and assessment*. **2015**, *187*(1), 1-14.
37. Hill, M. J. Vegetation index suites as indicators of vegetation state in grassland and savanna: An analysis with simulated SENTINEL 2 data for a North American transect. *Remote Sensing of Environment*. **2013**, *137*, 94-111.
38. **Ho, P.; Azadi, H. Rangeland degradation in North China: perceptions of pastoralists. *Environmental Research*. 2010, 110(3), 302-307.**
39. **Hoppe, F.; Kyzy, T. Z.; Usupbaev, A.; Schickhoff, U. Rangeland degradation assessment in Kyrgyzstan: vegetation and soils as indicators of grazing pressure in Naryn Oblast. *Journal of Mountain Science*. 2016, 13(9), 1567-1583.**
40. Jacquin, A.; Goulard, M.; Hutchinson, J. S.; Hutchinson, S. L. A statistical approach for predicting grassland degradation in disturbance-driven landscapes. In 2015 8th International Workshop on the Analysis of Multitemporal Remote Sensing Images (Multi-Temp), IEEE. **2015**, 1-5.
41. Jaurena, M.; Bentancur, O.; Ayala, W.; Rivas, M. Especies indicadoras y estructura de praderas naturales de basalto con cargas contrastantes de ovinos. *Agrociencia Uruguay*. **2011**, *15*(1), 103-114.
42. Jiang, Gaoming, Xingguo Han, and Jianguo Wu. Restoration and management of the Inner Mongolia grassland require a sustainable strategy. *Ambio*. **2006**, *35*:5: 269-270.
43. Kurtz, D. B.; Schellberg, J.; Braun, M. Ground and satellite based assessment of rangeland management in sub-tropical Argentina. *Applied Geography*. **2010**, *30*(2), 210-220.
44. Lapetina, J. Guía de buenas prácticas ganaderas para el manejo y conservación de pastizales naturales en áreas protegidas. Ministerio de Vivienda, Ordenamiento Territorial y Medio Ambiente, Dirección nacional de Medio Ambiente. ISBN: 978-9974-8259-3-2, Montevideo, Uruguay. **2012**, 77pp.
45. Li, F.; Zeng, Y.; Luo, J.; Ma, R.; Wu, B. Modeling grassland aboveground biomass using a pure vegetation index. *Ecological Indicators*. **2016**, *62*, 279-288.
46. Li, J.; Yang, X.; Jin, Y.; Yang, Z.; Huang, W.; Zhao, L.; Gao, T.; Yu, H.; Ma, H.; Quin, Z. Xu, B. Monitoring and analysis of grassland desertification dynamics using Landsat images in Ningxia, China. *Remote Sensing of Environment*. **2013**, *138*, 19-26.
47. **Li, S.; Verburg, P. H.; Lv, S.; Wu, J.; Li, X. Spatial analysis of the driving factors of grassland degradation under conditions of climate change and intensive use in Inner Mongolia, China. *Regional Environmental Change*. 2012, 12(3), 461-474.**
48. Li, W. J.; Ali, S. H.; Zhang, Q. Property rights and grassland degradation: A study of the Xilingol Pasture, Inner Mongolia, China. *Journal of environmental management*. **2007**, *85*(2), 461-470.
49. Li, X. L.; Perry, G. L. W.; Brierley, G.; Sun, H. Q.; Li, C. H.; Lu, G. X. Quantitative assessment of degradation classifications for degraded alpine meadows (heitutan), Sanjiangyuan, western China. *Land Degradation & Development*. **2014**, *25*(5), 417-427.
50. **Lin, L.; Li, Y. K.; Xu, X. L.; Zhang, F. W.; Du, Y. G.; Liu, S. L.; Gou, X. W. Cao, G. M. Predicting parameters of degradation succession processes of Tibetan Kobresia grasslands. *Solid Earth*. 2015, 6(4), 1237-1246.**
51. **Liu, B.; You, G.; Li, R.; Shen, W.; Yue, Y.; Lin, N. Spectral characteristics of alpine grassland and their changes responding to grassland degradation on the Tibetan Plateau. *Environmental Earth Sciences*. 2015, 74(3), 2115-2123.**
52. **Liu, J.; Xu, X.; Shao, Q. Grassland degradation in the “Three-River Headwaters” region, Qinghai Province. *Journal of Geographical Sciences*. 2008, 18(3), 259-273.**
53. **Liu, Y.; Zha, Y.; Gao, J.; Ni, S. Assessment of grassland degradation near Lake Qinghai, West China, using Landsat TM and in situ reflectance spectra data. *International Journal of Remote Sensing*. 2004, 25(20), 4177-4189.**

54. Long, Y. U.; Li, Z. H. O. U.; Wei, L. I. U.; Hua-Kun, Z. H. O. U. Using remote sensing and GIS technologies to estimate grass yield and livestock carrying capacity of alpine grasslands in Golog Prefecture, China. *Pedosphere*. **2010**, 20(3), 342-351.
55. López, D. R.; Brizuela, M. A.; Willems, P.; Aguiar, M. R.; Siffredi, G.; Bran, D. Linking ecosystem resistance, resilience, and stability in steppes of North Patagonia. *Ecological indicators*. **2013**, 24, 1-11.
56. Lorent, H.; Sonnenschein, R.; Tsiourlis, G. M.; Hostert, P.; Lambin, E. Livestock subsidies and rangeland degradation in central Crete. *Ecology and Society: a journal of integrative science for resilience and sustainability*. **2009**, 14(2), 41-2009.
57. **Mansour, K.; Mutanga, O. T. Everson, T. Remote sensing based indicators of vegetation species for assessing rangeland degradation: Opportunities and challenges. *African Journal of Agricultural Research*. 2012a, 7(22), 3261-3270.**
58. **Mansour, K.; Mutanga, O.; Everson, T.; Adam, E. Discriminating indicator grass species for rangeland degradation assessment using hyperspectral data resampled to AISA Eagle resolution. *ISPRS journal of photogrammetry and remote sensing*. 2012b, 70, 56-65.**
59. Mansour, K.; Mutanga, O.; Adam, E.; Abdel-Rahman, E. M. Multispectral remote sensing for mapping grassland degradation using the key indicators of grass species and edaphic factors. *Geocarto International*. **2016**, 31(5), 477-491.
60. **Miehe, S.; Kluge, J.; Von Wehrden, H.; Retzer, V. Long-term degradation of Sahelian rangeland detected by 27 years of field study in Senegal. *Journal of Applied Ecology*. 2010, 47(3), 692-700.**
61. Miller, D. J. The Tibetan Steppe. In *Grasslands of the World*, edited by J. M. Suttie, S. G. Reynolds, C. Batello. ISBN: 925105337-5, FAO, Rome, Italy. **2005**, 305-342.
62. Milton, S. J.; du Plessis, M. A.; Siegfried, W. R. A conceptual model of arid rangeland degradation. *Bioscience*. **1994**, 44(2), 70-76.
63. Olsen, J. L.; Miehe, S.; Ceccato, P.; Fensholt, R. Does EO NDVI seasonal metrics capture variations in species composition and biomass due to grazing in semi-arid grassland savannas? *Biogeosciences*. **2015**, 12(14), 4407-4419.
64. O'Mara, F. P. The role of grasslands in food security and climate change. *Annals of botany*. **2012**, 110(6), 1263-1270.
65. Oomen, R. J.; Ewert, F.; Snyman, H. A. Modelling rangeland productivity in response to degradation in a semi-arid climate. *Ecological Modelling*. **2016**, 322, 54-70.
66. **Pallarés, O. R.; Berretta, E. J.; Maraschin, G. E. The south american campos ecosystem. In *Grasslands of the World*, edited by J. M. Suttie, S. G. Reynolds, C. Batello. ISBN: 925105337-5, FAO, Rome, Italy. 2005, 171-219.**
67. Panario, D.; Bidegain, M. Climate change effects on grasslands in Uruguay. *Climate Research*. **1997**, 9(1-2), 37-40.
68. Passmore, G.; Brown, C. G. Analysis of rangeland degradation using stochastic dynamic programming. *Australian Journal of Agricultural Economics*. **1991**, 35(2), 131-157.
69. **Paudel, K. P.; Andersen, P. Assessing rangeland degradation using multi temporal satellite images and grazing pressure surface model in Upper Mustang, Trans Himalaya, Nepal. *Remote Sensing of Environment*. 2010, 114(8), 1845-1855.**
70. Pickup, G.; Bastin, G. N.; Chewings, V. H. Identifying trends in land degradation in non-equilibrium rangelands. *Journal of Applied Ecology*. **1998**, 35(3), 365-377.
71. Prober, S. M.; Thiele, K. R. Restoring Australia's temperate grasslands and grassy woodlands: integrating function and diversity. *Ecological Management & Restoration*. **2005**, 6(1), 16-27.
72. Reiche, M.; Funk, R.; Zhang, Z.; Hoffmann, C.; Reiche, J.; Wehrhan, M.; Yong, L. Sommer, M. Application of satellite remote sensing for mapping wind erosion risk and dust emission deposition in Inner Mongolia grassland, China. *Grassland Science*. **2012**, 58(1), 8-19.
73. Röder, A.; Udelhoven, T.; Hill, J.; Del Barrio, G.; Tsiourlis, G. Trend analysis of Landsat-TM and-ETM+ imagery to monitor grazing impact in a rangeland ecosystem in Northern Greece. *Remote Sensing of Environment*. **2008**, 112 (6), 2863-2875.
74. Rutherford, M. C.; Powrie, L. W. Severely degraded rangeland: implications for plant diversity from a case study in Succulent Karoo, South Africa. *Journal of Arid Environments*. **2010**, 74(6), 692-701.
75. Rutherford, M. C.; Powrie, L. W.; Husted, L. B. Plant diversity consequences of a herbivore-driven biome switch from Grassland to Nama Karoo shrub steppe in South Africa. *Applied Vegetation Science*. **2012**, 15(1), 14-25.
76. Shiyomi, M.; Akiyama, T.; Wang, S.; Hori, Y.; Chen, Z.; Yasuda, T.; Kawamura, K. Yamamura, Y. A grassland ecosystem model of the Xilingol steppe, Inner Mongolia, China. *Ecological modelling*. **2011**, 222(13), 2073-2083.
77. Smith, D. M. S.; McKeon, G. M.; Watson, I. W.; Henry, B. K.; Stone, G. S.; Hall, W. B.; Howden, S. M. Learning from episodes of degradation and recovery in variable Australian rangelands. *Proceedings of the National Academy of Sciences*. **2007**, 104(52), 20690-20695.
78. Snyman, H. A. Rangeland degradation in a semi-arid South Africa—I: influence on seasonal root distribution, root/shoot ratios and water-use efficiency. *Journal of Arid Environments*. **2005**, 60(3), 457-481.
79. **Solomon, T. B.; Snyman, H. A.; Smit, G. N. Cattle-rangeland management practices and perceptions of pastoralists towards rangeland degradation in the Borana zone of southern Ethiopia. *Journal of environmental management*. 2007, 82(4), 481-494.**
80. Spottiswoode, C. N.; Wondafraash, M.; Gabremichael, M. N.; Abebe, Y. D.; Mwangi, M. A. K.; Collar, N. J.; Dolman, P. M. Rangeland degradation is poised to cause Africa's first recorded avian extinction. *Animal Conservation*. **2009**, 12(3), 249-257.
81. Strohbach, B. J. Vegetation degradation trends in the northern Oshikoto region: I. The Hyphaenepetersiana plains. *Dinteria*. **2000**, 26, 45-62.
82. **Tácuna, R. E.; Aguirre, L.; Flores, E. R. Influencia de la revegetación con especies nativas y la incorporación de materia orgánica en la recuperación de pastizales degradados. *Ecología Aplicada*. 2015, 14(2), 191-200.**

83. Verón, S. R.; Paruelo, J. M. Desertification alters the response of vegetation to changes in precipitation. *Journal of Applied Ecology*. 2010, 47(6), 1233-1241.
84. Wang, J.; Brown, D. G.; Bai, Y. Investigating the spectral and ecological characteristics of grassland communities across an ecological gradient of the Inner Mongolian grasslands with in situ hyperspectral data. *International Journal of Remote Sensing*. 2014, 35(20), 7179-7198.
85. Wang, Z.; Zhang, Y.; Yang, Y.; Zhou, W.; Gang, C.; Zhang, Y.; Li, J.; An, R.; Wang, K.; Odeh, I. Qi, J. Quantitative assess the driving forces on the grassland degradation in the Qinghai–Tibet Plateau, in China. *Ecological Informatics*. 2016, 33, 32-44.
86. Wen, L.; Dong, S. K.; Li, Y. Y.; Sherman, R.; Shi, J. J.; Liu, D. M.; Wang, Y.; L.; Ma, Y.; S.; Zhu, L. "The effects of biotic and abiotic factors on the spatial heterogeneity of alpine grassland vegetation at a small scale on the Qinghai–Tibet Plateau (QTP), China." *Environmental monitoring and assessment*. 2013, 185.10, 8051-8064.
87. Wessels, K. J.; Prince, S. D.; Carroll, M.; Malherbe, J. **Relevance of rangeland degradation in semiarid northeastern South Africa to the nonequilibrium theory.** *Ecological Applications*. 2007, 17(3), 815-827.
88. Wessels, K. J.; Prince, S. D.; Malherbe, J.; Small, J.; Frost, P. E.; VanZyl, D. Can human-induced land degradation be distinguished from the effects of rainfall variability? A case study in South Africa. *Journal of Arid Environments*. 2007, 68(2), 271-297.
89. Wiesmair, M.; Feilhauer, H.; Magiera, A.; Otte, A.; Waldhardt, R. Estimating Vegetation Cover from High-Resolution Satellite Data to Assess Grassland Degradation in the Georgian Caucasus. *Mountain Research and Development*. 2016, 36(1), 56-65.
90. Xie, Y.; Sha, Z. **Quantitative analysis of driving factors of grassland degradation: a case study in Xilin River Basin, Inner Mongolia.** *The Scientific World Journal*. 2012, Vol. 2012, 1-14.
91. Xu, D.; Guo, X. Evaluating the impacts of nearly 30 years of conservation on grassland ecosystem using Landsat TM images. *Grassland Science*. 2015, 61(4), 227-242.
92. Xu, X.; Liu, J.; Shao, Q. **Spatial and temporal characteristics of grassland degradation in the riverhead area of the Yellow River.** In *Second International Conference on Earth Observation for Global Changes*. International Society for Optics and Photonics. 2009, Vol. 7471, 74710R-1 - 74710R-7.
93. Yahdjian, L.; Sala, O. El futuro de los pastizales sudamericanos. *Interciencia*. 2011, 36(2), 153-158.
94. Yao, Z.; Zhao, C.; Yang, K.; Liu, W.; Li, Y.; You, J.; Xiao, J. **Alpine grassland degradation in the Qilian Mountains, China—A case study in Damaying Grassland.** *Catena*. 2016, 137, 494-500.
95. Ykhanbai, H.; Bulgan, E.; Beket, U.; Vernoooy, R.; Graham, J. Reversing grassland degradation and improving herders' livelihoods in the Altai Mountains of Mongolia. *Mountain Research and Development*. 2004, 24(2), 96-100.
96. Zanoniani, R. A.; Boggiano, P.; Cadenazzi, M. Respuesta invernal de un campo natural a fertilización nitrogenada y ofertas de forraje. *Agrociencia Uruguay*. 2011, 15(1), 115-124.
97. Zhao, Y.; He, C.; Zhang, Q. **Monitoring vegetation dynamics by coupling linear trend analysis with change vector analysis: a case study in the Xilingol steppe in northern China.** *International journal of remote sensing*. 2012, 33(1), 287-308.
98. Zhihui, G.; Peijun, S.; Jin, C. Estimation of grassland degradation based on historical maximum growth model using with remote sensing data. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*. 2008, 37(B8), 895-900.
99. Zhou, H.; Zhao, X.; Tang, Y.; Gu, S.; Zhou, L. Alpine grassland degradation and its control in the source region of the Yangtze and Yellow Rivers, China. *Grassland Science*. 2005, 51(3), 191-203.
100. Zhou, W.; Gang, C.; Zhou, L.; Chen, Y.; Li, J.; Ju, W.; Odeh, I. Dynamic of grassland vegetation degradation and its quantitative assessment in the northwest China. *Acta Oecologica*. 2014, 55, 86-96.